

Graphic Innovations

COLOR GUIDE  
PLOTTER FILMS



Engineered to Achieve Perfection™












“ A dedication to quality is a source of pride for all of us at **ORAFOL**, and it is a key factor in our continued growth and success. ”

– Dr. Holger Loclair  
 Managing Director, ORAFOL Europe GmbH






ORAFOL Europe GmbH  
 Oranienburg, Germany

### Application Types

-  Vehicle & Fleet Graphics
-  Watercraft Wraps
-  Outdoor Signage
-  Backlit Signage
-  Indoor Signage, Exhibits, and P.O.P. Displays
-  Wall Graphics
-  Window Graphics
-  Specialty Applications
-  Decals

### Additional Information

-  Educational Information
-  Helpful Tips & Tricks
-  Need To Know Information

### Tech Tip: *Lot Numbers Matter!*

When using multiple rolls for a single application, request media from the same batch or lot number to avoid subtle shade variations.

### !!! Nominal Roll Width Chart

STANDARD ROLL WIDTH	ROLL WIDTH** (MILLIMETERS)	ROLL WIDTH** (INCHES)
15 inch	378 mm	14.882"
24 inch	610 mm	24.016"
30 inch	756 mm	29.767"
36 inch	914 mm	35.980"
40 inch	1016 mm	40.000"
48 inch	1260 mm	49.607"
50 inch	1260 mm	49.607"
54 inch	1370 mm	53.937"
60 inch	1520 mm	59.843"

\*\* +/- 2 mm tolerance

**Splice-free Rolls.**  
 Our promise...find a splice, and receive \$500 for your lost productivity.





# ORACAL® 8800

## Translucent Premium Cast

	<b>070</b> black		<b>044</b> magenta		<b>682</b> ocean green
	<b>010</b> white		<b>413</b> light pink		<b>652</b> pin green
	<b>020</b> golden yellow		<b>420</b> red pink		<b>063</b> lime-tree green
	<b>019</b> signal yellow		<b>421</b> blackberry		<b>009</b> middle green
	<b>219</b> yolk yellow		<b>422</b> mulberry		<b>087</b> emerald
	<b>021</b> yellow		<b>040</b> violet		<b>614</b> reed green
	<b>025</b> brimstone yellow		<b>181</b> lilac blue		<b>658</b> melon
	<b>016</b> crimson		<b>594</b> pastel blue		<b>060</b> dark green
	<b>330</b> fox red		<b>547</b> fjord blue		<b>083</b> nut brown
	<b>031</b> red		<b>507</b> capri blue		<b>831</b> middle brown
	<b>337</b> cardinal		<b>052</b> azure blue		<b>079</b> red brown
	<b>017</b> cherry red		<b>509</b> sea blue		<b>088</b> coffee brown
	<b>348</b> scarlet red		<b>536</b> middle blue		<b>080</b> brown
	<b>030</b> dark red		<b>049</b> king blue		<b>805</b> ivory
	<b>380</b> blood orange		<b>183</b> ink blue		<b>740</b> swedish grey
	<b>351</b> municipal orange		<b>591</b> midnight blue		<b>748</b> laterite grey
	<b>034</b> orange				<b>074</b> middle grey

!!! Custom Color Matching Available

## ORACAL® 8800

### Metallics

	<b>090</b> silver grey metallic
	<b>091</b> gold metallic

## ORACAL® 8870

### Blockout Film

	<b>010</b> white (black backing)
	<b>070</b> black (white backing)

## ORACAL® 8860

### Diffuser Premium Cast 60% Light Transmission

	<b>010</b> white
--	---------------------

## ORACAL® 8830

### Diffuser Premium Cast 30% Light Transmission

	<b>010</b> white
--	---------------------

# ORACAL® 8500

## Translucent Cal

	<b>070</b> black		<b>085</b> pale pink		<b>007</b> dark blue		<b>074</b> middle grey
	<b>010</b> white		<b>413</b> light pink		<b>541</b> dark turquoise		<b>076</b> telegrey
	<b>020</b> golden yellow		<b>041</b> pink		<b>066</b> turquoise blue		<b>072</b> light grey
	<b>013</b> zinc yellow		<b>008</b> heather red		<b>054</b> turquoise		
	<b>021</b> yellow		<b>040</b> violet		<b>062</b> light green		
	<b>025</b> brimstone yellow		<b>403</b> light violet		<b>063</b> lime-tree green		
	<b>207</b> ochre yellow		<b>012</b> lilac		<b>009</b> middle green		<b>090</b> silver grey metallic
	<b>015</b> yellow orange		<b>527</b> pastel blue		<b>614</b> reed green		<b>091</b> gold metallic
	<b>016</b> crimson		<b>053</b> light blue		<b>068</b> grass green		
	<b>330</b> fox red		<b>052</b> azure blue		<b>618</b> dragon green		
	<b>031</b> red		<b>051</b> gentian blue		<b>087</b> emerald		
	<b>329</b> carnation red		<b>528</b> grey blue		<b>060</b> dark green		
	<b>032</b> light red		<b>005</b> middle blue		<b>088</b> coffee brown		
	<b>017</b> cherry red		<b>006</b> intensive blue		<b>081</b> light brown		
	<b>030</b> dark red		<b>049</b> king blue		<b>011</b> pale brown		
	<b>323</b> coral red		<b>542</b> caribic blue		<b>805</b> ivory		
	<b>034</b> orange		<b>065</b> cobalt blue				

## ORACAL® 8500

### Metallics

	<b>090</b> silver grey metallic
	<b>091</b> gold metallic

# ORACAL® 8300

## Transparent Cal

	<b>020</b> golden yellow		<b>096</b> steel blue
	<b>021</b> yellow		<b>053</b> light blue
	<b>025</b> brimstone yellow		<b>052</b> azure blue
	<b>031</b> red		<b>051</b> gentian blue
	<b>032</b> light red		<b>057</b> traffic blue
	<b>030</b> dark red		<b>049</b> king blue
	<b>047</b> orange red		<b>054</b> turquoise
	<b>033</b> red orange		<b>063</b> lime-tree green
	<b>034</b> orange		<b>068</b> grass green
	<b>085</b> pale pink		<b>061</b> green
	<b>089</b> salmon pink		<b>097</b> blue green
	<b>041</b> pink		<b>060</b> dark green
	<b>077</b> telemagenta		<b>079</b> red brown
	<b>040</b> violet		<b>074</b> middle grey
	<b>056</b> ice blue		<b>073</b> dark grey



/// ORAFOL's BEST Translucent Marking Film  
/// Outstanding Thermoforming Capabilities  
/// Premium Color Retention and Adhesion Properties

/// Perfect for Channel Letters  
/// Exceptional Dimensional Stability




/// Transparent Clarity for Colorful Decorative Window Applications



**ORACAL® 851** NEW  
Sparkling Glitter Metallic Cast




**ORACAL® 7510**  
**ORACAL® 6510**  
Fluorescent Cast




Create a vibrant, custom sparkling glitter metallic color by laminating **986 crystal clear sparkle** to any ORACAL® plotter film.


**ORAMASK®**  
Paint Stencil Films




**ORACAL® 351**  
Polyester Film



**ORACAL® 352**  
Print Polyester



**ORACAL® 383**  
Ultraleaf Cast



**ORACAL® 8810**  
Frosted Glass Cast



**ORACAL® 8710**  
Dusted Glass Cal



**ORACAL® 8510**  
Etched Glass Cal



**ORALUX® 9300**  
Luminescent Cast  
"Glow in the Dark"



**KEY FEATURES**

- /// Splice-free guarantee
- /// Easy Plotting, Weeding, and Application Properties

Typical Application

**ORACAL® 7510/6510**

★  
Fluorescent cast film that is highly visible in all twilight and poor visibility conditions.  
Perfect for—  
• Emergency Vehicle Accents  
• Motorsport Numbers and Graphic Striping  
• Labels  
• Decals  
• Parking Lot  
• Event Wayfinding Signage

Screen & Thermal Print Compatible

**ORALUX® 9300**

★  
Safety & Compliance  
**Glow-in-the-Dark**  
Wayfinding Signage—  
• Hospitals  
• Airports  
• Office Buildings  
• Schools  
• Movie Theaters  
• Public Transportation  
• Trains & Busses  
• Bowling Alley  
• Arcades  
• Laser Tag venues

**Need a Wide Format Digital Print version?**  
Select ORAJET® 3930

Screen Print Compatible

Paint Mask/Stencil Films

**ORAMASK® 810/810s**

★  
**ORAMASK® 810/810s**  
Transparent stencil for use with all paint systems and where background visibility is required.  
Select **ORAMASK® 810s** when removal performance is important. Such as back-spraying acrylic & polycarbonate illuminated signage substrates or when newly applied to multi-layered general paint projects.

Select **ORAMASK® 810** when a stronger bond to the substrate is required.

Perfect for Aerospace and Automotive paint stencil applications.

810 - Dry Application Only  
810s - Wet Application optional

**ORAMASK® 811/813**

★  
**ORAMASK® 811**  
Opaque stencil for use with residential paints and stains on flat, rigid surfaces.

**ORAMASK® 813**  
Transparent stencil for use with residential paints and stains on flat, rigid surfaces that require background visibility.

Both are Perfect for—

- Game boards
- Gymnasium floors
- Latex painted walls
- Craft & Home Décor projects

Dry Application Only



Product Overview

	ORACAL® 7510/6510	ORALUX® 9300	ORAMASK® 810/810s	ORAMASK® 811/813
<b>Film Type</b>	6-mil Cast // 4-mil Cast	6-mil Cast	3-mil Calendered	
<b>Application Surface</b>	Curved or Flat	Flat	Flat, rigid, uneven or semi-flexible surfaces that require background visibility	Flat, rigid surfaces that require background visibility <i>Large area capabilities</i>
<b>Adhesive</b>	Clear, solvent-based, permanent		Low-tack, removable, Water-based <i>Series 810s is Solvent-based</i>	
<b>Roll Widths</b>	15" (punched), 24", 30", 48"	40", 48"	15" (punched), 24", 30", 36"**, 40"***, 48" ** Series 810 & 813 only   *** Series 810 only	
<b>Roll Lengths</b>	150' (50-yard) 30' (10-yard)	25m	150' (50-yard)	
<b>Outdoor Durability</b>	Outdoor or Indoor // Short-term Up to 3 years <small>Outdoor durability (in years) varies by color. Please see technical data sheet for details.</small>	Indoor 5 years	ORAMASK® 810 	ORAMASK® 811 

**Splice-free Rolls.** Our promise...find a splice, and receive \$500 for your lost productivity.



Technical Data



# ORACAL® 970RA

## Premium Wrapping Cast Film



SCAN ME



The **Industry's Largest Selection** of **Corporate I.D. Wrap Colors** over 130 colors



Contact your Authorized ORAFOL® Distributor to request an ORACAL® 970RA Color Fan

Photos courtesy of Element Graphics & Design - Mokena, IL | ORACAL® 970RA 093 Anthracite with ORACAL® 751 Spot Graphics

### KEY FEATURES

- /// Splice-free guarantee
- /// Easy Plotting, Weeding, and Application Properties
- /// Vibrant High Gloss Finish
- /// Exceptional Resistance to Weathering & Fading

### Typical Application



- Cars, Trucks, Vans, & Trailers
- Boat & Marine
- Emergency Response Vehicles
- Transit & Bus
- OEM Grade Graphic Kits
- Architectural Window & Wayfinding Signage
- General Outdoor Signage & Graphic Applications
- Painted Brick & Concrete Block Walls

Approved for use by the Association for American Railroads.

### Product Overview

	ORACAL® 951	ORACAL® 751	ORACAL® 751RA <b>NEW</b>
<b>Film Type</b>	2-mil Cast		
<b>Application Surface</b>	Curved or Flat Surfaces		
<b>Adhesive</b>	Clear, solvent-based, permanent	Clear, solvent-based, permanent <b>RapidAir</b>	
<b>Roll Widths</b>	15" (punched), 24", 30", 48" <i>ORACAL® 751 36" x 50 yd. also available in 070, 010, 000 only.</i>	24", 48"	
<b>Roll Lengths</b>	150' (50-yard)   30' (10-yard) <b>Splice-free Rolls.</b> Our promise...find a splice, and receive \$500 for your lost productivity.		
<b>Outdoor Durability</b>	Outdoor or Indoor // Long-term Up to 10 years	Outdoor or Indoor // Long-term Up to 8 years  Outdoor durability (in years) varies by color. Please see technical data sheet for details.	
<b>Technical Data</b>	ORACAL® 951 	ORACAL® 751 	ORACAL® 751RA <b>NEW</b> 



## ORACAL® Cast Opaque & Metallic Films



Premium Cast ORACAL® 951

High Performance Cast ORACAL® 751

High Performance Cast with RapidAir® Technology ORACAL® 751RA

Photos courtesy of Casanova Signs - Cypress, TX ORACAL® 751, 070 black (top)  
Wrapcision Wraps & Graphics - Indianapolis, IN ORACAL® 751RA spot graphics over ORACAL® 970RA, 070M matte black (bottom)



Engineered to Achieve Perfection™

Cast Opaque & Metallic Films

### KEY FEATURES

- /// Splice-free guarantee
- /// Easy Plotting, Weeding, and Application Properties

### Typical Application

	ORACAL® 651™	ORACAL® 641	ORACAL® 631
Cars, Trucks, Vans, & Trailer Lettering	•		
Short-term Promotional Graphic Markings		•	•
Interior Way-Finding & Architectural Window Graphics & Signage	•	•	•
General Outdoor Signage & Graphic Applications	•	•	
Museum & Exhibition Graphics			•
Removable Wall Graphics		•	•
Craft & Home Décor Applications	•	•	•

For Temporary Vehicle Graphics only

### Product Overview

	ORACAL® 651™	ORACAL® 641	ORACAL® 631
<b>Film Type</b>	2.5-mil Calendered	3-mil Calendered	
<b>Application Surface</b>	Simple Curves or Flat	Flat Surfaces	
<b>Adhesive</b>	Clear, solvent-based, permanent	Clear, water-based, permanent	Clear, water-based, removable
<b>Roll Widths</b>	15" (punched), 24", 30", 48" <i>ORACAL® 651™ 36" &amp; 60" roll widths x 50 yd. also available in 070, 010, 000 only.</i>		
<b>Roll Lengths</b>	150' (50-yard)   30' (10-yard) <b>Splice-free Rolls.</b> Our promise...find a splice, and receive \$500 for your lost productivity.		
<b>Outdoor Durability</b>	Indoor // Indefinite Outdoor // Medium-term Up to 6 years	Indoor // Indefinite Outdoor // Short-term Up to 4 years	Indoor // Indefinite Outdoor // Short-term Up to 3 years  Outdoor durability (in years) varies by color. Please see technical data sheet for details.
<b>Technical Data</b>	ORACAL® 651™ 	ORACAL® 641 	ORACAL® 631 





Intermediate & Economy Films

Find an Authorized ORAFOL Distributor



**SCAN ME**

**ORACAL®**  
 Intermediate &  
 Economy Films

- Intermediate Cal  
ORACAL® 651™
- Economy Cal  
ORACAL® 641
- Exhibition Cal  
ORACAL® 631



Photo courtesy of  
**Dali Decals**  
 Vero Beach, FL (bottom)

Engineered to Achieve Perfection™



# KEY FEATURES

- /// Splice-free guarantee
- /// Easy Plotting, Weeding, and Application Properties
- /// Exceptional Resistance to Weathering & Fading

For Thermoforming Instructions



SCAN ME

## Typical Application

	ORACAL® 8800	ORACAL® 8500	ORACAL® 8300
Illuminated Corporate ID Signage Applications <ul style="list-style-type: none"> <li>• Polycarbonate</li> <li>• Acrylic</li> <li>• Tensioned Flexible Substrates</li> </ul>			
First and Second Surface Applications			
Interior/Exterior Way-Finding & Architectural Window Graphics			
Museum & Exhibition Graphics			
Stylish Retail & Boutique Graphic Applications			
Craft & Home Décor Applications			
	<i>Perfect solution for Thermoformed Illuminated Dimensional Signage.</i>		<b>Wet Application Recommended</b> for large panel installations to glass windows.

## Product Overview

<b>Film Type</b>	2-mil Cast	3-mil Calendered	
<b>Application Surface</b>	Formed or Flat	Flat	
<b>Adhesive</b>	Clear, solvent-based, permanent		
<b>Roll Widths</b>	24", 48"	15" (punched), 24", 30", 48" <i>ORACAL® 8500 60" x 50 yd. also available in select colors only.</i>	
<b>Roll Lengths</b>	150' (50-yard)   30' (10-yard) <b>Splice-free Rolls.</b> Our promise...find a splice, and receive \$500 for your lost productivity.		
<b>Outdoor Durability</b>	Outdoor or Indoor // Long-term Up to 10 years	Outdoor or Indoor // Medium-term Up to 7 years	Outdoor or Indoor // Medium-term 5 years
	Outdoor durability (in years) varies by color. Please see technical data sheet for details.		
<b>Technical Data</b>	ORACAL® 8800 	ORACAL® 8500 	ORACAL® 8300 



**ORACAL® | ORALUX® | ORAMASK®**  
Specialty  
Films

**Frosted Glass Cast**  
ORACAL® 8810

**Dusted Glass Cal**  
ORACAL® 8710

**Etched Glass Cal**  
ORACAL® 8510

**Ultraleaf Cast**  
ORACAL® 383

Find an Authorized  
ORAFOL Distributor



**SCAN ME**

Specialty Films

**Sparkling Glitter Metallic**  
ORACAL® 851

**Luminescent Cast**  
ORALUX® 9300

**Fluorescent Cast**  
ORACAL® 7510/6510

**Paint Mask Stencil Films**  
ORAMASK®  
810/810S/811/813

**Metalized Polyester**  
ORACAL® 351

**Print Polyester**  
ORACAL® 352



Engineered to Achieve Perfection™

**KEY  
FEATURES**

/// Splice-free guarantee

/// Easy Plotting, Weeding, and Application Properties

Typical Application

ORACAL® 383



A three-dimensional, decorative gold or silver leaf film developed for –

- Lettering
- Emergency Vehicle Markings
- Windows
- Signage

ORACAL® 351



Optimized for plotter cut lettering applications where a chrome or brushed appearance is desired.

Perfect for –

- Decorative Labels
- Nameplates
- Industrial ID markings

ORACAL® 352



Ideal for lamination to aluminum composite materials where a chrome or brushed appearance is desired.

Perfect for –

- Decorative Labels
- Nameplates
- Industrial ID markings

*Not recommended for vehicle graphic or wrap applications.*

*Screen, UV, and Thermal print compatible.*

Product Overview

<b>Film Type</b>	3.5-mil Cast	1-mil Metallized Polyester	1-mil Metallized Polyester <i>(2-mil films – 901 Chrome gloss and 912 gold-coated, both sides)</i>
<b>Application Surface</b>	Flat		
<b>Adhesive</b>	Clear, solvent-based, permanent		
<b>Roll Widths</b>	15" (punched), 24", 30", 48"		
<b>Roll Lengths</b>	150' (50-yard)   30' (10-yard) <b>Splice-free Rolls.</b> Our promise...find a splice, and receive \$500 for your lost productivity.		
<b>Outdoor Durability</b>	Outdoor or Indoor // Medium- to Long-term Up to 5 years	Outdoor or Indoor // Short-term Up to 2 years <small>Outdoor durability (in years) varies by color. Please see technical data sheet for details.</small>	
<b>Technical Data</b>	ORACAL® 383 	ORACAL® 351 	ORACAL® 352 



Photo courtesy of  
Element Graphics & Design – Mokena, IL  
ORACAL® 851, 988 obsidian silver sparkle

# APPLICATION TAPES



***Make the switch today***, and achieve maximum compatibility with application tapes designed to work specifically with *your favorite* ORACAL® or ORAMASK® Graphic Marking Films!

	ORATAPE® MT95	ORATAPE® HT55
TACK-LEVEL	Medium Tack	High Tack
RELEASE LINER ADHESION	<i>Better</i>	<b>Best</b>
OPACITY	Transparent	Semi-Transparent
CONFORMABILITY	Highly Conformable	High Dimensional Stability
FILM COLOR	Clear - Polyethylene	White - Paper
SHELF LIFE	1 year	1 year
KEY FEATURES	An <i>everyday</i> <b>workhorse</b> for Signage and Graphic shops needing <b>Clarity</b> & <b>Conformability</b> from their application tape	ORAFOL's <i>most popular</i> application tape designed to perform with <i>all</i> ORACAL® <b>Matte</b> and <b>Gloss</b> finish plotter films



Read more about Application Tapes by scanning the QR codes.



**KEY FEATURES** /// Splice-free guarantee  
/// Exceptional Resistance to Weathering & Fading

Typical Application

ORACAL® 8870	ORACAL® 8860	ORACAL® 8830
Premium Blockout Performance – Effectively create blackout effects in backlit signage applications.	Premium Diffuser Performance – 60% light transmission Provides improved light distribution and uniformity in illuminated backlit signs.	Premium Diffuser Performance – 30% light transmission
<p>Consider these films for window applications to achieve a "milky-white" decorative "etched glass look".</p>		

Illuminated Corporate ID Signage Applications


- Polycarbonate
- Acrylic
- Tensioned Flexible Substrates
- Windows

Product Overview

<b>Film Type</b>	4-mil Cast   2-mil Cast
<b>Application Surface</b>	Formed or Flat
<b>Adhesive</b>	Clear, solvent-based, permanent
<b>Roll Widths</b>	48"
<b>Roll Lengths</b>	150' (50-yard)   30' (10-yard) <b>Splice-free Rolls.</b> Our promise...find a splice, and receive \$500 for your lost productivity.
<b>Outdoor Durability</b>	Outdoor or Indoor // Long-term Up to 10 years
<b>Technical Data</b>	ORACAL® 8870          ORACAL® 8860          ORACAL® 8830



Need to **Color Cross Reference** ORACAL® 8800 or 8500 colors with other brand manufacturers? Scan the QR code to compare.



**ORACAL®**  
Translucent & Transparent Films



Photo courtesy of SignCraft Industries Indianapolis, IN



SCAN ME

- Translucent Premium Cast ORACAL® 8800
- Translucent Cal ORACAL® 8500
- Transparent Cal ORACAL® 8300
- Blockout Film ORACAL® 8870
- Diffuser Premium Cast 60% ORACAL® 8860
- Diffuser Premium Cast 30% ORACAL® 8830

Engineered to Achieve Perfection™

**KEY FEATURES** /// Splice-free guarantee  
/// Easy Plotting, Weeding, and Application Properties  
/// Exceptional Resistance to Weathering & Fading

Typical Application

	ORACAL® 851 <b>NEW</b> Sparkling Glitter Metallic	ORACAL® 8810 Frosted Glass Window Film	ORACAL® 8710 Dusted Glass Window Film	ORACAL® 8510 Etched Glass Window Film
Cars, Trucks, Vans, & Trailer Lettering	•	Sparkling, translucent metallic effect	Soft, "milky-white", translucent effect	Sandblasted, traditional etched translucent effect
Boat and Marine	•	Perfect for all types of window applications		
RV and Camper	•	Architectural window applications –	Residential window applications –	
OEM Grade Graphic Kits	•	• Retail	• Bathroom shower doors	
Architectural Window & Wayfinding Signage	•	• Restaurant	• Mirrors	
General Outdoor Signage & Graphic Applications	•	• Conference Room	• Front Door Sidelights	
Craft & Home Décor Applications	•	• Airport	• Sliding Glass Doors	
		• Museum graphics		
		<b>Wet Application Recommended for Large Panel Installations</b>		

Product Overview

<b>Film Type</b>	2-mil Cast	3-mil Cast	2.75-mil Calendered	3-mil Calendered
<b>Application Surface</b>	Curved or Flat			
<b>Adhesive</b>	Clear, solvent-based, permanent			
<b>Roll Widths</b>	12", 24", 48"	15" (punched), 24", 30", 48" <i>ORACAL® 8510 60" x 50 yd. also available in 090 only.</i>		
<b>Roll Lengths</b>	150' (50-yard)   30' (10-yard) <b>Splice-free Rolls.</b> Our promise...find a splice, and receive \$500 for your lost productivity.			
<b>Outdoor Durability</b>	Indoor // Indefinite Outdoor // Medium-term Up to 5 years	Indoor // Indefinite Outdoor // Long-term Up to 7 years <small>Outdoor durability (in years) varies by color. Please see technical data sheet for details.</small>		
<b>Technical Data</b>	ORACAL® 851 <b>NEW</b>	ORACAL® 8810	ORACAL® 8710	ORACAL® 8510

Translucent & Transparent Films



ORALITE® V98 Pre-Striped Chevron  
ORALITE® 5650RA Fleet Engineer Grade  
with *RapidAir*® Technology



Contact your Authorized ORAFOL® Distributor  
to request an ORALITE® Reflective Applications Color Chart  
or scan the QR code to download it today!



Adhesive Tapes that  
**Stick & Stay!**

For the Sign & Display Industry

Read more about UHB Tapes  
with an Ultra High Bond  
by scanning the QR code.



ORABOND™ UHB TAPES  
with an Ultra High-Bond




# Questions? Contact our Product Technical Support Team

The phone call is *free* and the advice is *unbeatable!*

- Application Tips
- Connecting Directly with your Customers
- Reporting an Issue and/or Filing a Claim
- General Product Questions



Add us as a **Contact** on your mobile device!



## ORAFOL The ORAFOL Group FINISHING OF PLASTICS

### Divisions of ORAFOL Americas Inc.



**Graphic Innovations**  
Engineered to Achieve Perfection™



**Reflective Solutions**  
Engineered to Save Lives™



**Adhesive Tape Systems**  
Engineered to Perform Better™

### Other Divisions of The ORAFOL Group



**Advanced Polymer Films**  
Engineered to Deliver Variety™



**Optic Solutions**  
Engineered to Manage Light™



**Automotive Graphics**



Newly acquired in 2021



Look for the ORAFOL® Digital Inkjet Media Selection Guide and other great literature on our website

[www.orafolamericas.com](http://www.orafolamericas.com)



# LET US HEAR FROM YOU!

## FIND US ONLINE!

- @OrafolAmericas
- @ORAFOL\_Americas
- @ORAFOLvehiclewraps
- @Craft\_with\_Orafol



FACEBOOK



LINKEDIN



YOUTUBE



INSTAGRAM




PINTEREST



TIKTOK





# COLOR GUIDE

ORACAL®, ORALUX®, ORAMASK®, and 651™ are registered trademarks of ORAFOL Americas Inc.

Revised 11/22 | © 2022 ORAFOL Americas Inc. | 48720-CONS | COLORCHART

**ORAFOL Americas** ■ ■ ■

1100 Oracal Parkway | Black Creek, GA 31308  
Phone | 912-851-5000 • Toll Free | 888-672-2251

**ORAFOL Canada** ■ ■ ■

2831 Bristol Circle | Oakville, Ontario L6H 6X5  
905-829-2828 • Toll Free | 888-727-3374

graphics-americas@orafol.com • www.orafol.com

